

# P48C-G2

Stratus Compact 8,000 lbs. Capacity Manual Release 4  
Post Mobile Storage Parking Car Lift (The 2nd Generation)



[WWW.STRATUSAUTOEQUIP.COM](http://WWW.STRATUSAUTOEQUIP.COM)

**STRATUS**  
auto equipment



## Sales & Showroom

512-640-9896

5881 Imperial Loop Dr.

College Station, TX 77845

[sales@stratusautoequip.com](mailto:sales@stratusautoequip.com)

## Warehouse & Manufacturing

8413 Calibration Ct


College Station, TX 77845

# TECHNICAL

# DIMENSIONS

# FEATURES

Model	P48C-G2
Capacity	8,000 LBS
Overall Height - A	81 3/4" (2076 MM)
Overall Width - B	102 15/16" (2615 MM)
Overall Length w/ ramps - C	207 5/8" (5274 MM)
Overall Length w/o ramps - D	175" (4445 MM)
Max lifting height - E	72 5/8" (1845 MM)
Min lifting height - F	4 5/16" (125 MM)
Clearance Height - G	68 5/16" (1735 MM)
Lifting Time	~ 50SEC
Width between columns - H	100 9/16" (2555 MM)
Drive Thru - I	93 7/8" (2385 MM)
Runway width - J	18 11/16" (475 MM)
Runway Length - K	165 3/8" (4200 MM)
Between Runways - L	37 13/16" (960 MM)
Motor	3 HP, 110V, 60 HZ, 1PH
Oil Type / Amount	AW32 or AW46 / ~2.5 Gallons
Breaker	30A
Weight	1,823 LBS
Dimension	167" L * 22" W * 30" H



## Warranty

**5 YEAR LIFTING STRUCTURE**  
**3 YEAR HYDRAULIC**  
**2 YEAR ELECTRIC**

- Space-saving compact design
- Hands-free lock release latch system
- Relocatable Power Unit
- Cable Failure Protection -Second safety device will be automatically locked while primary safety locks are out of operation.
- Multi-level locking positions (9 locking positions)
- Manual Safety Lock Release
- Proofed by dynamic test with 115% of rated capacity and static test with 150% rated capacity
- Powder coating finish: Granite Gray (RAL 7026) + Rein Orange (RAL 2004)

### Standard Accessories (Included)

- Sliding Jack Tray
- Castor Kit (Set of 4)
- Drip Trays (3 pcs)

### Optional Add-On Accessories (Sold Separately)

- Aluminum Ramps
- SAE-BJ5 Sliding Bridge Jack

**View it on the website here:**



# P48C-G2

