

MS9000X

Stratus Extra Wide Commercial Grade Open Center
Mobile Mid Rise Electric Safety Lock Release
Scissor Vehicle Lift SAE-MS9000X



WWW.STRATUSAUTOEQUIP.COM

STRATUS
auto equipment[®]

Sales & Showroom

512-640-9896

5881 Imperial Loop Dr.


College Station, TX 77845

sales@stratusautoequip.com

TECHNICAL

Model	MS9000X
Capacity	9,000 LBS
Lifting Time	~40SEC
Max Height	39 3/8" (1000 MM)
Min Height	4 3/4" (121 MM)
Platform Length without Ramps	55 7/8" (1405 MM)
Platform Length with Ramps	79 5/16" (2015 MM)
Overall Width	76 3/4" (2151 MM)
Platform Width	20 1/2" (519 MM)
Width Between Platform	35 7/8" (911 MM)
Motor	3 HP, 110v / 220V, 60 HZ, 1ph
Oil	AW32 or AW46
Breaker	30A
Platform Shipping Weight	1,318 LBS
Platform Shipping Dimension	79" L * 63" W * 11" H
Control Shipping Panel Weight	132 LBS
Control Panel Shipping Dimension	38" L * 16" W * 20" H

DIMENSIONS



FEATURES

- Available in 110V or 220V control unit
- Including 9 lock positions
- Dual cylinder structure with anti-surge valves
- Power unit with built-in 24V low voltage control system
- Self-lubricated bushing and bearing
- Safety Lock Fail Protection Sensor

Standard Accessories (Included)

- 1-3/8" Rubber Pads (4 pcs)
- 2-3/8" Rubber Pads (4 pcs)
- Ramps (4 pcs)
- Mobile Kits make the lift move around easily

Optional Add-On Accessories (Sold Separately)

- 4" Platform Extension
- Support Bar
- Set of 4 approach ramp kit for low profile vehicles

View it on the website here:



Warranty

**5 YEAR LIFTING STRUCTURE
3 YEAR HYDRAULIC
2 YEAR ELECTRIC**

MS9000X

