

# C10A

Stratus 2 Post Clear Floor Height Adjustable  
Direct Drive 10,000 lbs Capacity Single  
Point Manual Release Car Lift SAE-C10A



**STRATUS**  
auto equipment

**Sales & Showroom**

512-640-9896

5881 Imperial Loop Dr.

College Station, TX 77845


[sales@stratusautoequip.com](mailto:sales@stratusautoequip.com)

[WWW.STRATUSAUTOEQUIP.COM](http://WWW.STRATUSAUTOEQUIP.COM)

# TECHNICAL

Model	<b>C10A</b>
Capacity	10,000 LBS
Max Lifting Height with Adaptors	74 7/8" (1902 MM)
Min Lifting Height with Adaptors	7 15/16 (202 MM)
Max Lifting without Adaptors	70 7/8" (1800 MM)
Min Lifting without Adaptors	3 15/16" (100 MM)
Rise Time	~50SEC
Overall Height	137 3/4" – 147 5/8" (3499 MM -3749.50 MM)
Overall Width	15 3/4" (400 MM)
Overall Length	135 1/2" (3442 MM)
Inside Columns	112 3/16" (2850 MM)
Drive Thru	101 5/16" (2574 MM)
Front Arm Reach Max	61 1/4" (1555 MM)
Front Arm Reach Min	39 3/8" (1000 MM)
Rear Arm Reach Max	42 5/16" (1075 MM)
Rear Arm Reach Min	23 13/16" (605 MM)

# DIMENSIONS



# FEATURES

- Overhead / Clear floor design
- Direct Drive
- Single point manual release 2 top limiter switches Anti-surge valves
- Proofed by dynamic test with 115% of rated capacity and static test with 150% rated capacity
- Powder coating finish: Granite Gray (RAL 7026) + Rein orange (RAL 2004)

## Standard Accessories (Included)

- 4pcs- screw-up Rubber Pads
- 4pcs- 4" (100MM) Truck Adapters
- 2 of 2-stage arms
- 2 of 3-stage arms

**View it on the website here:**



## Warranty

**5 YEAR LIFTING STRUCTURE  
3 YEAR HYDRAULIC  
2 YEAR ELECTRIC**

# TECHNICAL

Motor	3 HP, 220V, 60 HZ, 1PH
Oil	AW32 or AW46
Breaker	30A
Weight	1,674 LBS
Dimension	110" L * 45" W * 24" H
Requirements	6" - 3000 PSI

